

HOUSE-KEEPING (356)

The institutions having the following requisite infrastructure, may apply for accreditation:

A. Classroom :

- The classroom should be adequate in size. It should be well lit, with comfortable chairs for the students.
- The classroom should have a black board or a white board.
- The Institute should possess a first aid kit and have a fire extinguisher in the premises.
-

B. Lab :

- The lab should have a black board or a white board.
- The lab should have the following:
 - 2 worktables preferably of 4 ft x 4 ft.
 - One sink with water connection.
 - Storage shelves /racks etc.
 - The Institute should possess a first aid kit and have a fire extinguisher on the premises.

C. Faculty & Supporting Staff :

- There should be at least 1 teacher for a group of 10 students.
- The teacher should have a B. Sc. in Home Science from a reputed Home Science College or a one year certificate/diploma in Housekeeping.
-

D. List of Tool and Equipment : For a batch size of 10 students

Tools	Nos.	Tools	Nos.
Vacuum cleaner	1	Tailoring machine	1
Brushes (Toothbrush/Carpet brush Soft brush/Feather brush, Toilet brush)	2 each	Iron	1
Brooms Soft/Yard/Hard broom	2 each	Ironing board/table	1
Basins	2	Scissors	4
Dust pans	4	Washing machine Optional	1
Bowls	6	Flower vase	10
Buckets	4	Stem holder	10

Ladder	1	Sponge	10
		Florist's wire	10

E. Physical Facilities :

The institution should have the facilities for drinking water, bathrooms & toilets.

F. Library :

Library should have utility books/articles/magazines in related subject.

G. Batch size :

Maximum 30 students in one batch. An institution can run maximum 4 batches for this course.